	Application No.	Applicant(s)
Notice of Allowability	10/709,029	PANG ET AL.
	Examiner	Art Unit
	MUHAMMAD N. EDUN	2627
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-12</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ul>		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	•	
1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-152)
2.  Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No./Mail Dat 98), 7. 🔲 Examiner's Amendr	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8.  Examiner's Stateme	ent of Reasons for Allowance

Art Unit: 2627

## **Prior Art Citation**

1. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Shishido et al. (6,785,213) and Tsukihashi (6,775,211), both disclose a recording and reproducing apparatus having information recorded on the recording medium by ZCLV method and having packets information recorded on the medium.

## Reasons For Allowance

2. The following is an Examiner's Statement of Reasons for Allowance:

## Re claims 1-8

The prior art of record alone or in combination does not teach or suggest the method of seamless ZCV/PCAV recording for packet writing having the combination of steps with their recited process, and taken the claims as a whole in combination with providing a plurality of predetermined super link points for dividing a track of an optical disk into a plurality of areas, and if a difference between a packet link area subsequent to the packet unit and a first predetermined super link point of the predetermined super link points is within a predetermined range, setting (or resetting as set forth in claims 5-8) the first predetermined super link point to within the packet link area, as set forth in claims 1-8.

Art Unit: 2627

## Re claims 9-12

The prior art of record alone or in combination further does not teach or suggest the method of seamless ZCLV/PCAV recording for packet writing having the combination of steps with their recited process, and taken the claims as a whole along with providing at least one predetermined super link point for dividing a track of an optical disk into a plurality of data writing areas with different transmission rates; and having at least one predetermined super link point is reset within the packet link areas, as set forth in claims 9-12.

Any comments considered necessary by applicant must be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferably **accompany** the Issue Fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MUHAMMAD N. EDUN whose telephone number is 571-272-7617. The examiner can normally be reached on FLEXITIME.

Application/Control Number: 10/709,029 Page 4

Art Unit: 2627

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hoa Nguyen can be reached on 571-272-7579. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MUHAMMAD N EDUN

1 250

Primary Examiner
Art Unit 2627